# Aluminum Blinds classic collection® Aluminum Blinds



Classic Collection Aluminum Blinds offer a comprehensive selection of headrail types for all types of commercial use. Both .008 gauge and .006 gauge slat thickness are available to match specifications. Three slat sizes, 1/2", 1" and 2", in a broad color selection guarantee that the blinds can be used in a variety of commercial settings.

Echelon is the top of the line curved headrail; Integra is the budget-friendly beveled headrail; Traditions is a compact 1" x 1" headrail and Metro is a low profile headrail for 2" blinds. A commercial headrail is also available in White, Antique White and Black. The Accu-Rise<sup>®</sup> cordless child safe lifting system is available on both Echelon 820 1" blinds and Metro 2" blinds. In addition, both battery operated and RF motorization are available for the utmost in child safety or for hard to reach windows.

All Classic Collection aluminum blinds have a Lifetime Limited Warranty.

#### **Dimensional Guidelines**

- Max. Width: 144" for 1" or 2" blinds; 100" Accu-Rise 120" for 1/2" blinds; 84" Accu-Rise
- Max. Length: 126" for 1" or 2" blinds 108" for 1/2" blinds
- Motorization: Auto-Tilt Battery Operated Somfy RF Hardwired



Contract Department www.lafvb.com/lifcontract 765-464-2500 / quotes@lafvb.com



# 1".008 Aluminum Blinds

## classic collection™

Bright White 0125	Gloss White 0110	Flex White 0885	Winter 1583	Woven White 1705	Pearl 0974
Linen Flirt 0127	Satin Silver 0018	Platinum Gray 0981	Alabaster 0002	Antique White 0973	Chenille 0269
Creme de la Creme 026	8 Cr de la Cr Matte 0250	Vanilla 0350	Almond 0830	Eggshell 0173	Linen 0270
Fawn 0205	Silver Cloud 0318	Beige 0186	Breeze 0262	Brshd Aluminum 0065	Bright Alum 0190
Shadow Gray 0748	Dove Gray 0180	Umber 0820	Bronze 0064	Bronze Matte 0254	Black 0048

All .008 colors shown above are available on the Echelon, Traditions and Commercial headrail. Commercial headrail available in White, Antique White and Black.

The most commonly used Classic Collection aluminum blind colors are shown. For a complete selection, visit the Materials Library at www.lafvb.com.





# 1".008 Aluminum Blinds classic collection<sup>\*\*</sup>

#### **Product Features**

Fits rectangular window openings All .008 gauge slat is FR 20 mm or 22 mm tape spacing Frosted Signature Tassel Spring tempered and heat treated slats Double lock seam bottom rail Wand tilt Lifetime Limited Warranty

#### **Options**

Accu-Rise Cordless Lift System (Echelon rail only) Cord tilt (Commercial rail only) Multiple Blinds on One Headrail Motorization

#### Dimensional Guidelines

Max. Width: 144"; 100" for Accu-Rise Max. Length: 126"; 84" for Accu-Rise


### **Color Selection**

1" Echelon .008 - 69 colors 1" Traditions .008 - 46 colors

#### Valances

Echelon - No valance due to contoured design Traditions - Two slat channel valance Commercial - Two slat channel valance

### Headrail Options




Commercial Rail available in White, Antique White and Black


Motorization is available. See Motorization Overview.




## Standard Rectangular




### Brackets







Echelon





# 1".006 Aluminum Blinds

## classic collection™



All .006 colors shown above are available on the Traditions Integra and Commercial headrail. Commercial headrail available in White, Antique White and Black.

The most commonly used Classic Collection aluminum blind colors are shown. For a complete selection, visit the Materials Library at www.lafvb.com.





# 1".006 Aluminum Blinds

classic collection™

#### **Product Features**

Fits rectangular window openings All .006 gauge slat is FR 20 mm or 22 mm tape spacing Frosted Signature Tassel Double lock seam bottom rail Wand tilt Lifetime Limited Warranty

#### Options

Cord tilt (Commercial rail only) Multiple Blinds on One Headrail Motorization

#### **Dimensional Guidelines**

Max. Width: 144" Max. Length: 126"


#### **Color Selection**

1" Integra .006 - 41 colors 1" Traditions .006 - 34 colors

#### Valances

Integra - No valance due to beveled design Traditions - Two slats with valance clips Commercial - Two slats with valance clips

## Headrail Options




Commercial Rail available in White, Antique White and Black


Several types of motorization are available.



### Standard Rectangular Blind



### Brackets





# 2" Aluminum Blinds

# classic collection™



All 2".008 colors shown above are available on the Low Profile Headrail

To view the color selection online, visit the Materials Library at www.lafvb.com.





# 2" Aluminum Blinds classic collection<sup>\*\*</sup>

#### **Product Features**

Fits rectangular window openings All .008 gauge 2" slat is FR Frosted Signature Tassel Spring tempered and heat treated slats Double lock seam bottom rail Single slat valance Wand tilt Limited Lifetime Warranty

#### Options

Accu-Rise<sup>®</sup> Cordless Lift System Multiple Blinds on One Headrail Cloth Tapes (10 colors) Motorization


#### **Dimensional Guidelines**

Max. Width: 144"; 100" for Accu-Rise Max. Length: 126"; 84" for Accu-Rise

### **Color Selection**

2" Metro - 20 colors


#### Headrail




Metro Low Profile




## Standard Rectangular Blind



## Bracket





Motorization is available. See Motorization Overview.





Motorization Overview

classic collection" aluminum blinds

#### Hardwired Systems

#### Somfy Sonesse® 30 RTS

- Available with 1" Echelon, and 2" Metro, with standard rectangular application and 2-On-1 headrail
- Headrail is 2" high and 2 1/4" deep Headrail colors: Milk Chocolate and White
- Includes a 24V DC Transformer with a 15 ft cord
- Motor can be located left or right side of shade
- Motor will include 7 1/2" wire
- Size Standards:
  - Minimum width 22",
  - if two motors are used, minimum is 44".
  - Maximum width 96".
  - Maximum height: 108".
  - Minimum height: 12".
- Additional Options:
  - Sonesse 30 DCT
  - Sonesse 30 RS485
  - Power: 24V DC Power and Distributuion Panel (Large Applications)
- Controls: Single and Multi Channel Remotes Controls; Wall Switches; Sun Sensor: Home Automation, MyLink app
- Exclusions:
  - Light-Ban
  - Decorative Tapes

#### **Battery Operated Systems**

#### Tilt-WireFree™ (Auto-Tilt)

- Available for 1".008 slat blinds or 2" Metro Aluminum Blinds
- Includes 12 Volt single reloadable Battery Wand with Lithium batteries and mounting clips
- Allows for tilt control only
- Headrail is color coordinated to blind as best possible
- Valance can be ordered separately
- Size Standards:
- Refer to the Classic Collection Aluminum Blind Sales Guide
- Additonal Options:
  Power
  - 12V DC Power Supply (Individual)
  - 12V DC Power Supply Citational Power (Large Applications)
- Controls: Single and Multi Channel Remote Control
- Exclusions:
  - Micro blinds
  - 1".006 slat
  - Multiple Blinds on One Headrail
  - Light-Ban
  - Accu-Rise

For further motorization information contact the Lafayette Customer Service Motorization Department.



